

Brake discs and Disc brake pads







are the registered trade marks of Peters - Ennepetal.

Published by Peters - Ennepetal. Copyright © 2010 by Peters - Ennepetal.

No part of this catalogue may be copied or reproduced without permission from the publisher. Genuine numbers are stated for comparison purposes only. It is not permitted to mention genuine numbers in invoices to truck-trailer - or car owners.



The information contained in this catalogue has been put together in good faith. We are not able to accept responsibilty or liabilty for any disadvantages which may result from errors. We reserve the right to make technical modifications - without appropriately informing for each individual case.




Index


Page		
1 - 2	Index / Information	
3 - 82	Sketches and technical description ascending according to PE order number	
83 - 92	Screw and screw assembly	
93 - 101	Disc brake pad	
103 - 107	Vehicle-related overview sorted according to brake size	
109 - 117	Cross reference list	


Brake disc to fit	Group	Page	Overview of brake sizes	Cross reference list
Bergische Achsen	046	42 - 46	105	111
BOVA	476	80 - 81	107	111
DAF	106	53 - 56	105	111
Fiat	236	64	106	111
Ford	116	57 - 58	105	111
lveco	026	24 - 34	104	111
Kässbohrer (Evobus)	056	47 - 50	105	111
MAN	036	35 - 41	104	111
Mercedes Benz	016	3 - 23	103	111 - 112
Meritor (ROR)	266	72 - 73	107	112
Neoplan	466	78 - 79	107	112
RABA	376	77	107	
RVI	256	65 - 71	106	112
SAE-Gigant	326	76	107	112
Sauer Achsen	066	51 - 52	105	112
Scania	126	59	106	113
Schmitz-Cargo	296	74	107	113
SMB	186	63	106	113
van Hool	316	75	107	113
Volvo	146	60 - 62	106	113
ZF	486	82	107	113



Information







1.) Brake disc area

Examine brake discs for grooves and tears. Fig. 1 shows four different brake disc wear pictures.

- a) A net-shaped formation of tears is permitted.
- b) Tears on the braking surface with a maximum of 1.5 mm width and depth are permitted as long as they do not exceed 75% of the braking surface.
- c) Grooves on the braking surface are permitted as long as they are no deeper than 1.5 mm.
- d) Brake discs with tears that go across the entire braking area surface are not permitted and all discs on that axle must be replaced.

2.) Wear measurement

The absolute wear measurement of the brake disc is embossed on the exterior \emptyset (Fig. 2). When the specified measurement is reached D= min. TH, the brake discs must be renewed for the entire axle.

3.) Disc warp


A maximum disc warp of 0.15 mm is permitted.

Further, pay attention to the maintenance and repair instructions provided by the brake and vehicle manufacturer.


Sketch showing vehicle-related overview sorted according to brake size (pages 103 - 107)




016.271-00A Part Number Outer Diameter [mm] 300 28 Thickness [mm] Height [mm] 68,5 25 Minimum Thickness [mm] Weight [kg] 9,7 front / rear Remark OE No. 906 421 00 12




Part Number	016.272-00A	
Outer Diameter [mm]	304	
Thickness [mm]	30	
Height [mm]	91	
Minimum Thickness [mm]	26	
Weight [kg]	10,5	
front / rear	F	
Remark		
OE No.	669 421 06 12	








Part Number	016.273-00A
Outer Diameter [mm]	324
Thickness [mm]	30
Height [mm]	91
Minimum Thickness [mm]	26
Weight [kg]	11,3
front / rear	F
Remark	
OE No.	670 421 03 12




Part Number	016.280-00A
Outer Diameter [mm]	374
Thickness [mm]	22
Height [mm]	22
Minimum Thickness [mm]	20,5
Weight [kg]	15,2
front / rear	F + R
Remark	
OE No.	416 421 04 12




Part Number	016.281-00A
Outer Diameter [mm]	380
Thickness [mm]	30
Height [mm]	68
Minimum Thickness [mm]	26
Weight [kg]	19,3
front / rear	F + R
Remark	
OE No.	425 421 00 12




Part Number	016.282-00A	
Outer Diameter [mm]	374	
Thickness [mm]	22	
Height [mm]	22	
Minimum Thickness [mm]	20,5	
Weight [kg]	15,3	
front / rear	F + R	
Remark		
OE No.	417 421 00 12	







Part Number	016.283-00A
Outer Diameter [mm]	239
Thickness [mm]	16
Height [mm]	79
Minimum Thickness [mm]	14
Weight [kg]	6,1
front / rear	F + R
Remark	
OE No.	631 420 03 72



Part Number	016.284-00A
Outer Diameter [mm]	438
Thickness [mm]	45
Height [mm]	135
Minimum Thickness [mm]	37
Weight [kg]	32,0
front / rear	F + R
Remark	
OE No.	356 421 10 12

OE No.



Brake disc 016

 Part Number
 016.285-00A

 Outer Diameter [mm]
 280

 Thickness [mm]
 16


 Height [mm]
 78,7

 Minimum Thickness [mm]
 13


 Weight [kg]
 7,4

 front / rear
 F


 Remark




Part Number	016.286-00A
Outer Diameter [mm]	421
Thickness [mm]	22
Height [mm]	62
Minimum Thickness [mm]	20,5
Weight [kg]	17,4
front / rear	F + R
Remark	
OE No.	440 421 01 12







Part Number	016.287-00A
Outer Diameter [mm]	280
Thickness [mm]	22
Height [mm]	78,6
Minimum Thickness [mm]	19
Weight [kg]	9,4
front / rear	F
Remark	
OE No.	601 421 05 12




Part Number	016.288-00A
Outer Diameter [mm]	263
Thickness [mm]	24
Height [mm]	82
Minimum Thickness [mm]	22
Weight [kg]	7,5
front / rear	F
Remark	
OE No.	631 420 01 72


FIGURAL

Brake disc 016


016.290-00A Part Number Outer Diameter [mm] 258 Thickness [mm] 12 Height [mm] 96 Minimum Thickness [mm] 10 Weight [kg] 6,2 front / rear R Remark OE No. 901 423 06 12




Part Number	016.291-00A	
Outer Diameter [mm]	276	
Thickness [mm]	22	
Height [mm]	77	
Minimum Thickness [mm]	19	
Weight [kg]	6,1	
front / rear	F	
Remark		
OE No.	902 421 06 12	








Part Number	016.292-00A
Outer Diameter [mm]	272
Thickness [mm]	16
Height [mm]	96
Minimum Thickness [mm]	14
Weight [kg]	7,5
front / rear	F
Remark	
OE No.	902 423 03 12




Part Number	016.294-00A
Outer Diameter [mm]	324
Thickness [mm]	30
Height [mm]	111,5
Minimum Thickness [mm]	27
Weight [kg]	12,0
front / rear	F
Remark	
OE No.	669 421 05 12




Part Number	016.295-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	132,5
Minimum Thickness [mm]	37
Weight [kg]	34,5
front / rear	F + R
Remark	
OE No.	942 421 21 12




Part Number	016.296-00A	
Outer Diameter [mm]	386	
Thickness [mm]	22	
Height [mm]	71	
Minimum Thickness [mm]	20,5	
Weight [kg]	15,6	
front / rear	F + R	
Remark		
OE No.	427 421 00 12	








Part Number	016.650-00A
Outer Diameter [mm]	304
Thickness [mm]	30
Height [mm]	91
Minimum Thickness [mm]	26
Weight [kg]	10,0
front / rear	F
Remark	
OE No.	668 421 01 12




Part Number	016.651-00A
Outer Diameter [mm]	304
Thickness [mm]	30
Height [mm]	120,5
Minimum Thickness [mm]	26
Weight [kg]	11,2
front / rear	R
Remark	
OE No.	668 423 00 12




Part Number	016.652-00A
Outer Diameter [mm]	324
Thickness [mm]	30
Height [mm]	91
Minimum Thickness [mm]	26
Weight [kg]	10,0
front / rear	F
Remark	
OE No.	668 421 02 12




Part Number	016.653-00A	
Outer Diameter [mm]	324	
Thickness [mm]	30	
Height [mm]	120,5	
Minimum Thickness [mm]	26	
Weight [kg]	12	
front / rear	R	
Remark		
OE No.	668 423 01 12	








Part Number	016.654-00A
Outer Diameter [mm]	276
Thickness [mm]	22
Height [mm]	60
Minimum Thickness [mm]	19
Weight [kg]	6,4
front / rear	F
Remark	
OE No.	638 421 01 12




Part Number	016.655-00A
Outer Diameter [mm]	280
Thickness [mm]	10
Height [mm]	65
Minimum Thickness [mm]	8
Weight [kg]	4,5
front / rear	R
Remark	
OE No.	638 423 01 12




Part Number	016.658-00A
Outer Diameter [mm]	380
Thickness [mm]	30
Height [mm]	64
Minimum Thickness [mm]	26
Weight [kg]	19,3
front / rear	F + R
Remark	
OE No.	437 421 04 12




Part Number	016.660-00A	
Outer Diameter [mm]	304	
Thickness [mm]	30	
Height [mm]	120,5	
Minimum Thickness [mm]	27	
Weight [kg]	14,6	
front / rear	R	
Remark		
OE No.	668 423 04 12	








Part Number	016.661-00A
Outer Diameter [mm]	324
Thickness [mm]	30
Height [mm]	120,5
Minimum Thickness [mm]	27
Weight [kg]	15,6
front / rear	R
Remark	
OE No.	668 423 05 12




Part Number	016.662-00A
Outer Diameter [mm]	335
Thickness [mm]	34
Height [mm]	102,5
Minimum Thickness [mm]	28
Weight [kg]	14,7
front / rear	F
Remark	
OE No.	970 421 06 12




Part Number	016.663-00A
Outer Diameter [mm]	335
Thickness [mm]	34
Height [mm]	111
Minimum Thickness [mm]	28
Weight [kg]	15
front / rear	R
Remark	
OE No.	970 423 04 12




Part Number	016.664-00A	
Outer Diameter [mm]	335	
Thickness [mm]	34	
Height [mm]	111	
Minimum Thickness [mm]	28	
Weight [kg]	14,8	
front / rear	R	
Remark		
OE No.	970 423 05 12	








Part Number	016.665-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	134
Minimum Thickness [mm]	37
Weight [kg]	23,5
front / rear	F
Remark	
OE No.	975 421 01 12




Part Number	016.666-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	138,5
Minimum Thickness [mm]	37
Weight [kg]	25,5
front / rear	F
Remark	
OE No.	975 423 03 12




016.667-00A Part Number Outer Diameter [mm] 285 22 Thickness [mm] Height [mm] 93 19 Minimum Thickness [mm] Weight [kg] 6,3 front / rear R Remark OE No. 904 423 03 12




Part Number	016.668-00A	
Outer Diameter [mm]	432	
Thickness [mm]	45	
Height [mm]	135	
Minimum Thickness [mm]	35	
Weight [kg]	33,5	
front / rear	F	
Remark		
OE No.	627 421 00 12	








Part Number	016.669-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	132
Minimum Thickness [mm]	37
Weight [kg]	26
front / rear	F
Remark	
OE No.	675 421 00 12




Part Number	016.670-00A
Outer Diameter [mm]	330
Thickness [mm]	34
Height [mm]	129,5
Minimum Thickness [mm]	28
Weight [kg]	17,5
front / rear	R
Remark	
OE No.	970 423 02 12




Part Number	016.671-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	131
Minimum Thickness [mm]	37
Weight [kg]	35
front / rear	F
Remark	
OE No.	000 420 02 72




Part Number	016.672-00A	
Outer Diameter [mm]	430	
Thickness [mm]	45	
Height [mm]	143,5	
Minimum Thickness [mm]	37	
Weight [kg]	34,5	
front / rear	F	
Remark		
OE No.	943 421 03 12	









Part Number	016.673-00A
Outer Diameter [mm]	296
Thickness [mm]	10
Height [mm]	58
Minimum Thickness [mm]	8
Weight [kg]	5
front / rear	R
Remark	
OE No.	639 423 01 12




Part Number	016.674-00A
Outer Diameter [mm]	300
Thickness [mm]	28
Height [mm]	58
Minimum Thickness [mm]	25
Weight [kg]	9
front / rear	F
Remark	
OE No.	639 421 00 12













Part Number	026.650-00A
Outer Diameter [mm]	280
Thickness [mm]	16
Height [mm]	142,5
Minimum Thickness [mm]	14,8
Weight [kg]	14
front / rear	F
Remark	with stud bolts
OE No.	190 4531




Part Number	026.651-00A
Outer Diameter [mm]	304
Thickness [mm]	30
Height [mm]	128,5
Minimum Thickness [mm]	27,5
Weight [kg]	13,5
front / rear	F + R
Remark	
OE No.	190 7725




Part Number	026.652-00A
Outer Diameter [mm]	315
Thickness [mm]	26
Height [mm]	118,5
Minimum Thickness [mm]	23
Weight [kg]	14,7
front / rear	F
Remark	with wheel bolts
OE No.	190 4532




Part Number	026.653-00A
Outer Diameter [mm]	290
Thickness [mm]	25
Height [mm]	160,5
Minimum Thickness [mm]	22
Weight [kg]	20,2
front / rear	F
Remark	with stud bolts
OE No.	190 4693








Part Number	026.654-00A
Outer Diameter [mm]	322
Thickness [mm]	30
Height [mm]	134
Minimum Thickness [mm	27,5
Weight [kg]	18,4
front / rear	F + R
Remark	
OE No.	190 7726




Part Number	026.655-00A
Outer Diameter [mm]	322
Thickness [mm]	30
Height [mm]	129
Minimum Thickness [mm]	27,5
Weight [kg]	19,4
front / rear	F
Remark	with wheel bolts
OE No.	190 7765




Part Number	026.656-00A
Outer Diameter [mm]	267
Thickness [mm]	14,2
Height [mm]	111,4
Minimum Thickness [mm]	12,8
Weight [kg]	10,4
front / rear	F
Remark	with stud bolts
OE No.	190 4529




Part Number	026.657-00A
Outer Diameter [mm]	267
Thickness [mm]	14,5
Height [mm]	154
Minimum Thickness [mm]	12,8
Weight [kg]	13
front / rear	F
Remark	with stud bolts
OE No.	190 4528








Part Number	026.658-00A
Outer Diameter [mm]	430
Thickness [mm]	50
Height [mm]	101
Minimum Thickness [mm]	42
Weight [kg]	35
front / rear	F
Remark	
OE No.	190 8729




Part Number	026.659-00A
Outer Diameter [mm]	370
Thickness [mm]	45
Height [mm]	150
Minimum Thickness [mm]	41
Weight [kg]	32,4
front / rear	F
Remark	with wheel bolts
OE No.	190 7568




Part Number	026.660-00A
Outer Diameter [mm]	370
Thickness [mm]	45
Height [mm]	181,5
Minimum Thickness [mm]	41
Weight [kg]	34,1
front / rear	F
Remark	with wheel bolts
OE No.	190 7569




Part Number	026.661-00A
Outer Diameter [mm]	290
Thickness [mm]	22
Height [mm]	111
Minimum Thickness [mm]	20
Weight [kg]	18,5
front / rear	F
Remark	with stud bolts
OE No.	190 8772








Part Number	026.662-00A
Outer Diameter [mm]	289
Thickness [mm]	22
Height [mm]	84,5
Minimum Thickness [mm]	20
Weight [kg]	17,5
front / rear	F
Remark	
OE No.	190 8773




Part Number	026.665-00A
Outer Diameter [mm]	425
Thickness [mm]	45
Height [mm]	170,5
Minimum Thickness [mm] 38
Weight [kg]	38
front / rear	F
Remark	
OE No.	190 7764




Part Number	026.666-00A
Outer Diameter [mm]	436
Thickness [mm]	45
Height [mm]	138,5
Minimum Thickness [mm] 41
Weight [kg]	38,3
front / rear	F
Remark	
OE No.	190 6461




Part Number	026.667-00A	
Outer Diameter [mm]	432	
Thickness [mm]	45	
Height [mm]	138,5	
Minimum Thickness [mm	41	
Weight [kg]	38,3	
front / rear	F + R	
Remark		
OE No.	299 6327	








Part Number	026.668-00A
Outer Diameter [mm]	276
Thickness [mm]	16
Height [mm]	69,5
Minimum Thickness [mm] 13
Weight [kg]	6,7
front / rear	R
Remark	
OE No.	299 1646




Part Number	026.669-00A
Outer Diameter [mm]	276
Thickness [mm]	22
Height [mm]	72,5
Minimum Thickness [mm]] 19
Weight [kg]	8,3
front / rear	F
Remark	
OE No.	4247 0836




Part Number	026.670-00A
Outer Diameter [mm]	276
Thickness [mm]	16
Height [mm]	69,5
Minimum Thickness [mm]	13
Weight [kg]	6,83
front / rear	F
Remark	with sensor ring
OE No.	299 4066



Part Number	026.671-00A	
Outer Diameter [mm]	306	
Thickness [mm]	22	
Height [mm]	136,5	
Minimum Thickness [mm]	19	
Weight [kg]	1,5	
front / rear	F	
Remark		
OE No.	4247 1150	









Part Number (026.672-00A
Outer Diameter [mm]	290
Thickness [mm]	26
Height [mm]	53
Minimum Thickness [mm]	23
Weight [kg]	8
front / rear	F
Remark	
OE No.	4247 1214




036.103-00A Part Number Outer Diameter [mm] 324 30 Thickness [mm] Height [mm] 102 24 Minimum Thickness [mm] Weight [kg] 14,5 F front / rear Remark 81.50803.0010 OE No.




Part Number	036.104-00A	
Outer Diameter [mm]	438	
Thickness [mm]	45	
Height [mm]	135	
Minimum Thickness [mm]	35	
Weight [kg]	36	
front / rear	F	
Remark		
OE No.	81.50803.0009	








Part Number	036.109-00A
Outer Diameter [mm]	330
Thickness [mm]	34
Height [mm]	104
Minimum Thickness [mm]	26
Weight [kg]	16,5
front / rear	F
Remark	
OE No.	81.50803.0026




Part Number	036.112-00A
Outer Diameter [mm]	330
Thickness [mm]	34
Height [mm]	124
Minimum Thickness [mm]	26
Weight [kg]	17,1
front / rear	R
Remark	with sensor ring
OE No.	81.50803.0022




Part Number	036.117-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	128
Minimum Thickness [mm]	37
Weight [kg]	23,1
front / rear	F
Remark	
OE No.	81.50803.0027




Part Number	036.119-00A	
Outer Diameter [mm]	432	
Thickness [mm]	45	
Height [mm]	135	
Minimum Thickness [mm]	35	
Weight [kg]	35	
front / rear	F	
Remark	with sensor ring	
OE No.	81.50803.0028	








Part Number	036.121-00A
Outer Diameter [mm]	432
Thickness [mm]	45
Height [mm]	130
Minimum Thickness [mm]	35
Weight [kg]	37
front / rear	F
Remark	
OE No.	81.50803.0040



Part Number	036.122-00A
Outer Diameter [mm]	432
Thickness [mm]	45
Height [mm]	135
Minimum Thickness [mm]	35
Weight [kg]	37
front / rear	R
Remark	
OE No.	81.50803.0041




036.123-00A Part Number Outer Diameter [mm] 330 Thickness [mm] 34 Height [mm] 129,5 Minimum Thickness [mm] 28 Weight [kg] 17,5 R front / rear Remark OE No. 81.50803.0039




Brake disc

Part Number	036.125-00A	
Outer Diameter [mm]	335	
Thickness [mm]	34	
Height [mm]	118	
Minimum Thickness [mm]	30	
Weight [kg]	16	
front / rear	R	440
Remark		
OE No.	81.50803.0062	




OE parts nos. serve for comparison only and may not appear on invoices and delivery notes to the vehicle owners. The products we supply should only be used as intended and they should only be installed by trained staff.






Part Number	036.126-00A
Outer Diameter [mm]	335
Thickness [mm]	34
Height [mm]	93
Minimum Thickness [mm]	30
Weight [kg]	17
front / rear	F
Remark	
OE No.	81.50803.0042



Part Number	036.130-00A
Outer Diameter [mm]	335
Thickness [mm]	34
Height [mm]	118
Minimum Thickness [mm]	26
Weight [kg]	17,5
front / rear	R
Remark	
OE No.	81.50803.0063

036.131-00A Part Number Outer Diameter [mm] 330 34 Thickness [mm] Height [mm] 124 Minimum Thickness [mm] 26 Weight [kg] 17,1 front / rear R Remark with sensor ring OE No. 81.50803.0061




Brake disc


036.132-00A

Outer Diameter [mm]	432	
Thickness [mm]	45	
Height [mm]	119	
Minimum Thickness [mm]	37	
Weight [kg]	35	
front / rear	F	110
Remark	front axle with hydraulic motor	
OE No.	81.50803.0064	


Part Number







Part Number	046.370-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	159,5
Minimum Thickness [mm]	37
Weight [kg]	28
front / rear	F + R
Remark	
OE No.	03.088.34.02.0




Part Number	046.372-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	159,5
Minimum Thickness [mm]	37
Weight [kg]	32,5
front / rear	F + R
Remark	without pulse wheel receptacle
OE No.	03.088.35.03.0




Part Number	046.373-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	159,5
Minimum Thickness [mm]	37
Weight [kg]	28
front / rear	F + R
Remark	with pulse wheel receptacle

03.088.34.04.0


OE No.




D	04/ 074 004
Part Number	046.374-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	159,5
Minimum Thickness [mm]	37
Weight [kg]	28
front / rear	F + R
Remark	with pulse wheel receptacle
OE No.	03.088.34.03.0








Part Number	046.375-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	159,5
Minimum Thickness [mm]	37
Weight [kg]	28
front / rear	F + R
Remark	without pulse wheel receptacle
OE No.	03.088.34.01.0




Part Number	046.376-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	164,5
Minimum Thickness [mm]	37
Weight [kg]	27,5
front / rear	F + R
Remark	
OE No.	03.088.34.07.0




Part Number	046.377-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	169,5
Minimum Thickness [mm]	37
Weight [kg]	29,5
front / rear	F
Remark	
OE No.	03.088.34.08.0



Part Number	046.379-00A	
Outer Diameter [mm]	377	
Thickness [mm]	45	
Height [mm]	159,5	
Minimum Thickness [mm]	37	
Weight [kg]	27,5	
front / rear	F	
Remark		
OE No.	03.088.34.13.0	









Part Number	046.384-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	159,5
Minimum Thickness [mm]	37
Weight [kg]	34
front / rear	F
Remark	
OE No.	03.088.35.05.0




Part Number	056.100-00A
Outer Diameter [mm]	392
Thickness [mm]	48
Height [mm]	120
Minimum Thickness [mm]	38
Weight [kg]	28,5
front / rear	F
Remark	
OE No.	8.284.000.034




Part Number 056.101-00A	
Outer Diameter [mm] 396	
Thickness [mm] 48	
Height [mm] 119	
Minimum Thickness [mm] 38	
Weight [kg] 28	
front / rear F	
Remark	
OE No. 179.24.11.113-07	








Part Number	056.102-00A
Outer Diameter [mm]	406
Thickness [mm]	48
Height [mm]	175
Minimum Thickness [mm]	38
Weight [kg]	32
front / rear	F
Remark	
OE No. 179	.24.11.111-31B




Part Number	056.103-00A
Outer Diameter [mm]	432
Thickness [mm]	45
Height [mm]	135
Minimum Thickness [mm]	37
Weight [kg]	33,5
front / rear	F
Remark	
OE No.	8.285.390.000




Part Number	056.104-00A
Outer Diameter [mm]	315
Thickness [mm]	35
Height [mm]	154,5
Minimum Thickness [mm]	28
Weight [kg]	17
front / rear	F
Remark	
OE No. 172	2.24.11.113-020



Part Number	056.105-00A	
Outer Diameter [mm]	430	
Thickness [mm]	45	
Height [mm]	131	
Minimum Thickness [mm]	37	
Weight [kg]	35	
front / rear	F	
Remark		
OE No.	8.285.000.589	









Part Number	056.106-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	136
Minimum Thickness [mm]	37
Weight [kg]	34
front / rear	F
Remark	
OE No.	8.285.543.000




Part Number	066.250-00A
Outer Diameter [mm]	377
Thickness [mm]	45
Height [mm]	157,5
Minimum Thickness [mm]	37
Weight [kg]	27,3
front / rear	F + R
Remark	
OE No.	4 079 0004 00




Part Number	066.251-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	160,5
Minimum Thickness [mm]	37
Weight [kg]	36
front / rear	F + R
Remark	
OE No.	4 079 0003 00








Part Number	066.252-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	130
Minimum Thickness [mm]	37
Weight [kg]	33
front / rear	F + R
Remark	
OE No.	4 079 0005 00




Part Number	066.253-00A
Outer Diameter [mm]	375,5
Thickness [mm]	45
Height [mm]	139,5
Minimum Thickness [mm]	37
Weight [kg]	25,6
front / rear	F + R
Remark	
OE No.	4 079 0007 01




Part Number	106.200-00A
Outer Diameter [mm]	460
Thickness [mm]	48
Height [mm]	119
Minimum Thickness [mm]	38
Weight [kg]	37
front / rear	F + R
Remark	
OE No.	1 238 372



Part Number	106.201-00A
Outer Diameter [mm]	315
Thickness [mm]	26
Height [mm]	121,5
Minimum Thickness [mm]	23
Weight [kg]	13,1
front / rear	F
Remark	
OE No.	PAK 5513








Part Number	106.202-00A
Outer Diameter [mm]	312
Thickness [mm]	30
Height [mm]	137
Minimum Thickness [mm]	27,5
Weight [kg]	14,6
front / rear	F
Remark	
OE No.	PAK 3546


Brake disc set




Part Number	106.203-00A
Outer Diameter [mm]	432
Thickness [mm]	45
Height [mm]	45
Minimum Thickness [mm]	41,0
Weight [kg]	26,5
front / rear	
Remark	
OE No.	1 726 138




Part Number	106.204-00A
Outer Diameter [mm]	378
Thickness [mm]	45
Height [mm]	99
Minimum Thickness [mm] 38
Weight [kg]	23
front / rear	F
Remark	
OE No.	1 400 069



Part Number	106.205-00A	
Outer Diameter [mm]	375	
Thickness [mm]	45	
Height [mm]	146	
Minimum Thickness [mm]	37	
Weight [kg]	28,5	
front / rear	R	
Remark		
OE No.	1 400 284	








Part Number	106.206-00A
Outer Diameter [mm]	330
Thickness [mm]	34
Height [mm]	123
Minimum Thickness [mm]	28
Weight [kg]	18
front / rear	F
Remark	
OE No.	1 400 163


E

Brake disc 116


Part Number	116.000-00A
Outer Diameter [mm]	322
Thickness [mm]	30
Height [mm]	126
Minimum Thickness [mm]	27,5
Weight [kg]	14,6
front / rear	F
Remark	
OE No.	6.172.906



Part Number	116.008-00A	
Outer Diameter [mm]	276	
Thickness [mm]	24,4	
Height [mm]	43	
Minimum Thickness [mm]	22,1	
Weight [kg]	6,2	
front / rear	F	
Remark		
OE No.	4.395.257	









Part Number	116.009-00A
Outer Diameter [mm]	278
Thickness [mm]	24
Height [mm]	44,4
Minimum Thickness [mm]	22
Weight [kg]	7
front / rear	F
Remark	
OE No.	4.455.980


126.100-00A Part Number Outer Diameter [mm] 430 Thickness [mm] 45 Height [mm] 131 37 Minimum Thickness [mm] Weight [kg] 30 front / rear F + RRemark OE No. 1 852 817




Part Number	126.101-00A	
Outer Diameter [mm]	430	
Thickness [mm]	45	
Height [mm]	131	
Minimum Thickness [mm]	37	
Weight [kg]	35	
front / rear	R	
Remark		
OE No.	1 415 147	








Part Number	146.200-00A
Outer Diameter [mm]	322
Thickness [mm]	30
Height [mm]	90
Minimum Thickness [mm]	28
Weight [kg]	13,6
front / rear	F
Remark	
OE No.	6 774 686




Part Number	146.201-00A
Outer Diameter [mm]	322
Thickness [mm]	30
Height [mm]	90
Minimum Thickness [mm]	28
Weight [kg]	13,6
front / rear	F + R
Remark	
OE No.	6 779 208


Part Number	146.202-00A
Outer Diameter [mm]	322
Thickness [mm]	30
Height [mm]	138
Minimum Thickness [mm]	27
Weight [kg]	15,7
front / rear	R
Remark	
OE No.	6 775 227




Part Number	146.203-00A	
Outer Diameter [mm]	322	
Thickness [mm]	30	
Height [mm]	138	
Minimum Thickness [mm]	27	
Weight [kg]	15,7	
front / rear	R	
Remark		
OE No.	6 796 864	








Part Number	146.204-00A
Outer Diameter [mm]	438
Thickness [mm]	45
Height [mm]	127
Minimum Thickness [mm]	37
Weight [kg]	35
front / rear	F
Remark	
OE No.	3 112 965




Part Number	146.205-00A
Outer Diameter [mm]	322
Thickness [mm]	30
Height [mm]	115
Minimum Thickness [mm]	28
Weight [kg]	14,2
front / rear	R
Remark	
OE No.	6 779 209




186.100-00A Part Number Outer Diameter [mm] 430 Thickness [mm] 45 Height [mm] 155 37 Minimum Thickness [mm] Weight [kg] 34,6 F + Rfront / rear Remark OE No. M 069 018




Part Number	186.101-00A	
Outer Diameter [mm]	430	
Thickness [mm]	45	
Height [mm]	155	
Minimum Thickness [mm]	37	
Weight [kg]	37	
front / rear	F + R	
Remark	with sensor ring	!
OE No.	M 2001 3501	







Part Number	236.020-00A
Outer Diameter [mm]	256
Thickness [mm]	16
Height [mm]	64
Minimum Thickness [mm]	14,8
Weight [kg]	6
front / rear	F
Remark	
OE No.	9350 0520




Part Number	236.021-00A
Outer Diameter [mm]	290
Thickness [mm]	16
Height [mm]	61
Minimum Thickness [mm]	14,8
Weight [kg]	7
front / rear	F
Remark	
OE No.	9350 0521


OE No.




Brake disc 256




5010 216 548




Part Number	256.010-00A	
Outer Diameter [mm]	438	
Thickness [mm]	45	
Height [mm]	97	
Minimum Thickness [mm]	35	
Weight [kg]	31,1	
front / rear	F	
Remark		
OE No.	5010 216 437	







Part Number	256.011-00A
Outer Diameter [mm]	276
Thickness [mm]	24
Height [mm]	44
Minimum Thickness [mm]	22
Weight [kg]	5,2
front / rear	F
Remark	
OE No.	5000 396 612




Part Number	256.012-00A
Outer Diameter [mm]	276
Thickness [mm]	24
Height [mm]	44
Minimum Thickness [mm	22
Weight [kg]	5,2
front / rear	F
Remark	
OE No.	5010 216 433


OE No.




Brake disc 256




5010 019 249




Part Number	256.014-00A	
Outer Diameter [mm]	354	
Thickness [mm]	30	
Height [mm]	82	
Minimum Thickness [mm]	26	
Weight [kg]	14,2	
front / rear	F	
Remark		
OE No.	5000 450 158	








Part Number	256.016-00A
Outer Diameter [mm]	400
Thickness [mm]	42
Height [mm]	90
Minimum Thickness [mm]	36
Weight [kg]	23
front / rear	F
Remark	
OE No.	5000 790 539




Part Number	256.017-00A
Outer Diameter [mm]	304
Thickness [mm]	30
Height [mm]	135
Minimum Thickness [mm]	27
Weight [kg]	15
front / rear	F
Remark	
OE No.	5010 260 101




Part Number	256.018-00A
Outer Diameter [mm]	322
Thickness [mm]	30
Height [mm]	140
Minimum Thickness [mm]	26
Weight [kg]	17
front / rear	F
Remark	
OE No.	5010 260 102




Part Number	256.028-00A	
Outer Diameter [mm]	434	
Thickness [mm]	45	
Height [mm]	96,5	
Minimum Thickness [mm]	35	
Weight [kg]	33	
front / rear	F	
Remark		
OE No.	5010 422 593	








Part Number	256.029-00A
Outer Diameter [mm]	330
Thickness [mm]	34
Height [mm]	80
Minimum Thickness [mm]	28
Weight [kg]	14,9
front / rear	F
Remark	
OE No.	5010 525 308




Part Number	256.040-00A
Outer Diameter [mm]	290
Thickness [mm]	22
Height [mm]	78
Minimum Thickness [mm]	19
Weight [kg]	8
front / rear	R
Remark	
OE No.	5010 260 609




Par	t Number	256.041-00A
Ou	uter Diameter [mm]	290
Thi	ckness [mm]	15
He	ight [mm]	42,5
Mir	nimum Thickness [mm]	26
We	eight [kg]	7,5
froi	nt / rear	F
Rer	mark	
OE	No.	5010 260 603








Part Number	266.000-00A
Outer Diameter [mm]	378
Thickness [mm]	45
Height [mm]	150
Minimum Thickness [mm]	42
Weight [kg]	31,8
front / rear	F + R
Remark	
OE No.	212 25 115




Part Number	266.001-00A
Outer Diameter [mm]	378
Thickness [mm]	45
Height [mm]	150
Minimum Thickness [mm]] 42
Weight [kg]	32,5
front / rear	F + R
Remark	
OE No.	212 24 263




Part Number	266.002-00A
Outer Diameter [mm]	378
Thickness [mm]	45
Height [mm]	150
Minimum Thickness [mm]	39
Weight [kg]	32
front / rear	F + R
Remark	with sensor ring
OE No.	212 27 349



Part Number	266.003-00A
Outer Diameter [mm]	434
Thickness [mm]	45
Height [mm]	150
Minimum Thickness [mm]	39
Weight [kg]	38
front / rear	F + R
Remark	
OE No.	683 23 825









Part Number	296.000-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	168,5
Minimum Thickness [mm]	37
Weight [kg]	34,0
front / rear	R
Remark	
OE No.	017 870



Part Number	316.000-00A
Outer Diameter [mm]	410
Thickness [mm]	48
Height [mm]	120
Minimum Thickness [mm]	38
Weight [kg]	28
front / rear	F
Remark	
OE No.	52E908-472








Part Number	326.000-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	155
Minimum Thickness [mm]	37
Weight [kg]	37
front / rear	F + R
Remark	
OE No.	09 267 086

OE No.

376

Brake disc


376.103-00A Part Number Outer Diameter [mm] 432 Thickness [mm] 45 Height [mm] 135 Minimum Thickness [mm] 37 Weight [kg] 33,5 F front / rear Remark



Brake disc


Part Number	376.273-00A
Outer Diameter [mm]	324
Thickness [mm]	30
Height [mm]	91
Minimum Thickness [mm	26
Weight [kg]	11,3
front / rear	F
Remark	

OE No.




OE parts nos. serve for comparison only and may not appear on invoices and delivery notes to the vehicle owners. The products we supply should only be used as intended and they should only be





Part Number	466.100-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	130,5
Minimum Thickness [mm]	37
Weight [kg]	35
front / rear	F
Remark	
OE No.	0.8213.3310




Part Number	466.101-00A
Outer Diameter [mm]	410
Thickness [mm]	48
Height [mm]	120
Minimum Thickness [mm]	38
Weight [kg]	28
front / rear	F
Remark	
OE No.	0.8016.2100


OE No.

Brake disc 466


Part Number 466.102-00A
Outer Diameter [mm] 430
Thickness [mm] 45
Height [mm] 131
Minimum Thickness [mm] 37
Weight [kg] 35
front / rear F
Remark




Part Number	466.103-00A	
Outer Diameter [mm]	315	
Thickness [mm]	35	
Height [mm]	148,5	
Minimum Thickness [mm]	26	
Weight [kg]	19	
front / rear	F	
Remark		
OE No.	0.8016.1600	








Part Number	476.001-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	131
Minimum Thickness [mm]] 37
Weight [kg]	35,0
front / rear	F
Remark	
OE No.	234 110




Part Number	476.002-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	130,5
Minimum Thickness [mm]	37
Weight [kg]	35,0
front / rear	F
Remark	
OE No.	221 412


476.003-00A Part Number Outer Diameter [mm] 432 Thickness [mm] 45 Height [mm] 135 37 Minimum Thickness [mm] Weight [kg] 33,5 front / rear F Remark OE No. 204 566




Part Number	476.004-00A
Outer Diameter [mm]	406
Thickness [mm]	48
Height [mm]	175
Minimum Thickness [mm] 38
Weight [kg]	32,0
front / rear	F
Remark	
OE No.	







Part Number	486.000-00A
Outer Diameter [mm]	430
Thickness [mm]	45
Height [mm]	131
Minimum Thickness [mm]	37
Weight [kg]	35
front / rear	F
Remark	
OE No.	0501 316 953



Part Number	486.001-00A
Outer Diameter [mm]	432
Thickness [mm]	45
Height [mm]	135
Minimum Thickness [mm]	37
Weight [kg]	33,5
front / rear	F
Remark	
OE No.	0501 313 313



10.9 / 180 Nm Screw 016

Part Number	Dimensions	Remarks	OE No.
010.170-00A	M14 x 1,5 x 60 Spanner Size 21	dacrometised Front Axle	910105 014019
010.169-00A	M14 x 1,5 x 65 Spanner Size 21	dacrometised Front Axle	910105 014006
010.173-00A	M14 x 1,5 x 70 Spanner Size 21	dacrometised Front Axle	910105 014009
010.172-00A	M14 x 1,5 x 80 Spanner Size 21	dacrometised Front Axle	910105 014017



When brake-disc is exchanged the fastening screws have to be replaced as well.

10.9 / 180 Nm

010.177-00A	M16 x 1,5 x 55 / 52 Spanner Size 24	dacrometised	910105 016018
010.174-00A	M16 x 1,5 x 60 Spanner Size 24	dacrometised Tightening Torque [Nm] 260 Spanner Size 24	910105 016005



for brake caliper bracket

10.9 / 170 Nm

016.176-00A	M14 x 1,5 x 75	phosphatized	942 990 28 04
	Spanner Size T60	Rear axle	

When brake-disc is exchanged the fastening screws have to be replaced as well.



10.9 Nm

016.640-00A	M14 x 1,5 x 75	dacrometised	004 990 59 04
	Spanner Size 21	Front axle, lift axle	

When brake-disc is exchanged the fastening screws have to be replaced as well.





016 Screw 10.9 / 180 Nm



Part Number	Dimensions	Remarks	OE No.
016.641-00A	M20 x 1,5 x 70 Spanner Size 30	geomitrised	910105 020024

Angle of rotation level 1 (degree) 60 When brake-disc is exchanged the fastening screws have to be replaced as well.



Screw assembly 016

Part Number

016.187-10A

OE No.

Remarks



Part Number	Pos.no.	Description	Content	Dimensions	Remarks	OE No.
016.187-00A	1	Close-tolerance bolt	1	40 / 60 x 20 M16 x 1,5 / Ø19	dacrometised Tightening Torque [Nm] 260 Spanner Size 24	942 990 01 14
010.174-00A	2	Screw	5	M16 x 1,5 x 60 Spanner Size 24	dacrometised Tightening Torque [Nm] 260 Spanner Size 24	910105 016005



026 Screw 10.9 Nm



Part Number	Dimensions	Remarks	OE No.
026.680-00A	M16 x 79 / 65 Spanner Size 21	dacrometised	1668 3034

10.9 / 295 Nm



026.658-20A	M16 x 80 / 38 Spanner Size 21	dacrometised / 10.9	1668 3434



10.9 / 480 Nm Screw 036

Part Number	Dimensions	Remarks	OE No.
036.124-00A	M18 x 1,5 x 60 Spanner Size E24	phosphatized	06.01902.3413

When brake-disc is exchanged the above screws have to replaced as well. (12 pcs. per brake-disc)



10.9 Nm

036.127-00A	M18 x 1,5 x 60 / 45	phosphatized	06.01494.4611
	Spanner Size 27		

When brake-disc is exchanged the above screws have to replaced as well. (12 pcs. per brake-disc)



10.9 / 360 Nm

036.128-00A	M16 x 1,5 x 100	phosphatized	06.02191.2822
	Spanner Size 14		

When brake-disc is exchanged the above screws have to replaced as well. (10 pcs. per brake-disc)



10.9 Nm

036.129-00A	M14 x 1,5 / 50	phosphatized	06.01902.2411
	Spanner Size E18		

When brake-disc is exchanged the fastening screws have to be replaced as well.





066 Screw 10.9 / 50 Nm

Part Number	Dimensions	Remarks	OE No.
066.249-00A	M18 x 1,5 x 65 / 61 Spanner Size E24	dacrometised	4 343 2801 10



Angle of rotation level 1 (degree) 90 When brake-disc is exchanged the above screws have to replaced as well. (12 pcs. per brake-disc)



10.9 Nm Screw 120

Part Number	Dimensions	Remarks	OE No.
120.170-00A	M16 x 1,5 x 70 / 40 Spanner Size T70	geomitrised	1 787 220

When brake-disc is exchanged the fastening screws have to be replaced as well.





296 ScrewClose-tolerance bolt 10.9 Nm



Part Number	Dimensions	Remarks	OE No.
296.001-00A	M18 x 1,5 x 69 Spanner Size E24	geomitrised	017 873

for glass attachment

10.9 Nm



296.002-00A M16 x 1,5 x 57 geomitrised 017 890 Spanner Size E20

for brake caliper bracket

10.9 Nm



296.003.00 M16 x 1,5 x 59 geomitrised 017 889 Spanner Size E20

for brake caliper bracket



Screw assembly 326

Part Number 326.004-00A

OE No. 09 317 794

Remarks for brake caliper bracket



Part Number	Pos.no.	Description	Content	Dimensions	Remarks	OE No.
326.003-00A	1	Close-tolerance bolt	1	M16 x 1,5 x 37 / 19,5 Spanner Size 24	dacrometised	
326.002-00A	2	Screw	5	M16 x 1,5 x 55 / 55 Spanner Size 24	dacrometised	



326 Screw assembly



Part Number	326.005-00A
OE No.	09 317 791
Remarks	Fixture of hub flange

Part Number	Pos.no.	Description	Content	Dimensions	Remarks	OE No.
326.001-00A	1	Screw	12	M18 x 1,5 / 80 Spanner Size E24	Fixture of hub flange	



WVA 21576 / 21577 Disc brake pad 086

Part Number Dimensions

Remarks

086.319-00A 65,5 x 157 x 20,7 / 7

E1 90R-01 812/026



WVA 21592 / 21593

086.320-00A 55,5 x 157 x 18,7 / 12

E1 90R-01 901/059



WVA 21904

086.323-00A 57,8 x 64 x 16,9 / 6

E1 90R-01 811/146



WVA 23020

086.324-00A 53 x 105 x 16,8 / 6

E1 90R-01 814/106





O86 Disc brake pad WVA 23022

Part Number

Dimensions

Remarks



086.322-00A 64,4 x 134,5 x 20,9 / 7

E20 90R-01 130/001





086.326-00A 50,4 x 101,7 x 18,4

WVA 29011



086.301-50A 125 x 240 x 25 / 7

Bendix

with sensor hole 5 mm E8 90R-01 033/002

WVA 29030



086.302-50A 118,2 x 250 x 28 / 8

Meritor

with sensor hole 5 mm E8 90R-01 033/006



WVA 29032 Disc brake pad 086

Part Number Dimensions

Remarks

086.308-50A 110 x 205 x 25 / 7

with sensor hole 5 mm E8 90R-01 033/003



WVA 29043

086.309-00A 95 x 204 x 24 / 8

Lucas

E8 90R-01 034/001



WVA 29055

086.310-00A 77 x 176 x 22 / 6

E1 90R-01 872/054



WVA 29056

086.310-01A 77 x 176 x 23 / 7

E1 90R-01 872/054





086 Disc brake pad WVA 29061 / 29179



 Part Number
 Dimensions
 Remarks

 086.300-30A
 109 x 247 x 30 / 9
 Knorr SB / SN 7

with sensor hole 3 mm E8 90R-01 033/010 E1 90R-01 435/057

WVA 29065



086.311-50A 85 x 175 x 22 / 6

Lucas

with sensor hole 5 mm E8 90R-01 034/002

WVA 29076



086.314-00A 73 x 165 x 20 / 5

with sensor hole 3 mm E1 90R-01 812/068

WVA 29087 / 29108



086.300-50A 109 x 247 x 30 / 9

Knorr SB / SN 7

with sensor hole 5 mm E8 90R-01 033/010 E1 90R-01 435/055



Disc brake pad 086

Part Number D

Dimensions

Remarks

WVA 29090

086.304-00A 114 x 249 x 28 / 8

Lucas

E1 90R-01 435/042



WVA 29093 / 29095

086.306-00A 92 x 210 x 30 / 9

Knorr SB / SN 6

E8 90R-01 033/007



WVA 29094

086.306-50A 92 x 210 x 30 / 9

Knorr SB / SN 6

with sensor hole 5 mm E8 90R-01 033/007





086 Disc brake pad WVA 29113



Part Number	Dimensions	Remarks
086.302-00A	118,2 x 250 x 28 / 8	Meritor

E8 90R-01 033/006

WVA 29121



086.313-00A 66 x 165 x 18 / 5

E8 90R-01 034/001

WVA 29122



086.315-50A 85 x 175 x 22 / 6

with sensor hole 5 mm E8 90R-01 034/004

WVA 29124

Meritor



086.305-00A 102 x 205 x 27 / 7

E8 90R-01 033/008



WVA 29125 Disc brake pad **086**

Part Number	Dimensions	Remarks
086.316-00A	111 x 250 x 29 / 9	Meritor

E8 90R-01 033/009



WVA 29131

086.317-00A	118 x 250 x 30 / 8	Meritor
-------------	--------------------	---------

E9 90R-01 264/1269



WVA 29137

086327-004	101 x 210 x 29 / 9	Lucas

E9 90R-01 264/1309





O86 Disc brake pad WVA 29158



Part Number	Dimensions	Remarks
086.321-00A	108 x 210,8 x 30 / 9	Knorr SK 7

E9 90R-01 264/1120

WVA 29169 / 29177



086.318-00A 100 x 210 x 29,5 / 9 Meritor

E9 90R-01 264/2173

WVA 29173



086.329-00A 96,5 x 216 x 29,2 Meritor

E9 90R-01 264/2361

WVA 29174



086.330-00A 107 x 249 x 29,2 / 9 Meritor

E9 90R-01 264/2045



WVA 29192 Disc brake pad **086**

Part Number Dimensions Remarks

086.325-00A 67,1 x 163,3 x 20,9 / 6

E20 90R-01 130/003




WVA 29835

086.311-30A 85 x 175 x 22 / 6

with sensor hole 3 mm E8 90R-01 034/003









Vehicle-related overview sorted according to brake size

Part Number	F/R	A	В	С	D	Weight	Page
to fit Mercedes	Benz						
016.283-00A	F + R	239	16	79	14	6,1	6
016.290-00A	R	258	12	96	10	6,2	9
016.288-00A	F	263	24	82	22	7,5	8
016.292-00A	R	272	16	96	14	7,5	10
016.291-00A	F	276	22	77	19	6,1	9
016.654-00A	F	276	22	60	19	6,4	14
016.285-00A	F	280	16	78,7	13	7,4	7
016.287-00A	F	280	22	78,6	19	9,4	8
016.655-00A	R	280	10	65	8	4,5	14
016.667-00A	R	285	22	93	19	6,3	19
016.673-00A	R	296	10	58	8	5	22
016.676-00A	R	298	16	71	14	7,3	23
016.271-00A	F	300	28	68,5	25	9,7	3
016.674-00A	F	300	28	58	25	9	22
016.272-00A	F	304	30	91	26	10,5	3
016.650-00A	F	304	30	91	26	10	12
016.651-00A	R	304	30	120,5	26	11,2	12
016.660-00A	R	304	30	120,5	27	14,6	15
016.273-00A	F	324	30	91	26	11,3	4
016.294-00A	F	324	30	111,5	27	12	10
016.652-00A	F	324	30	91	26	10	13
016.653-00A	R	324	30	120,5	26	12	13
016.661-00A	R	324	30	120,5	27	15,6	16
016.670-00A	R	330	34	129,5	28	17,5	20
016.662-00A	F	335	34	102,5	28	14,7	16
016.663-00A	R	335	34	111	28	15	17
016.664-00A	R	335	34	111	28	14,8	17
016.280-00A	F + R	374	22	22	20,5	15,2	4
016.282-00A	F + R	374	22	22	20,5	15,3	5
016.665-00A	F	377	45	134	37	23,5	18
016.666-00A	R	377	45	138,5	37	25,5	18
016.669-00A	F	377	45	132	37	26	20
016.281-00A	F + R	380	30	68	26	19,3	5
016.658-00A	F + R	380	30	64	26	19,3	15
016.296-00A	F + R	386	22	71	20,5	15,6	11
016.286-00A	F + R	421	22	62	20,5	17,4	7
016.295-00A	F + R	430	45	132,5	37	34,5	11
016.671-00A	F	430	45	131	37	35	21
016.672-00A	F	430	45	143,5	37	34,5	21
016.668-00A	F	432	45	135	35	33,5	19
016.284-00A	F + R	438	45	135	37	32	6



Vehicle-related overview sorted according to brake size

Part Number	F/R	A	В	С	D	Weight	Page
to fit Iveco							
026.656-00A	F	267	14,2	111,4	12,8	10,4	27
026.657-00A	F	267	14,5	154	12,8	13	27
026.668-00A	R	276	16	69,5	13	6,7	32
026.670-00A	F	276	16	69,5	13	6,83	33
026.669-00A	F	276	22	72,5	19	8,3	32
026.650-00A	F	280	16	142,5	14,8	14	24
026.662-00A	F	289	22	84,5	20	17,5	30
026.672-00A	F	290	26	53	23	8	34
026.661-00A	F	290	22	111	20	18,5	29
026.653-00A	F	290	25	160,5	22	20,2	25
026.651-00A	F + R	304	30	128,5	27,5	13,5	24
026.671-00A	F	306	22	136,5	19	1,5	33
026.652-00A	F	315	26	118,5	23	14,7	25
026.655-00A	F	322	30	129	27,5	19,4	26
026.654-00A	F + R	322	30	134	27,5	18,4	26
026.659-00A	F	370	45	150	41	32,4	28
026.660-00A	F	370	45	181,5	41	34,1	29
026.665-00A	F	425	45	170,5	38	38	30
026.658-00A	F	431	50	101	42	35	28
026.667-00A	F + R	432	45	138,5	41	38,3	31
026.666-00A	F	436	45	138,5	41	38,3	31
to fit MAN 036.103-00A	F	324	30	102	24	14,5	35
036.109-00A	F	330	34	104	26	16,5	36
036.112-00A	R	330	34	124	26	17,1	36
036.131-00A	R	330	34	124	26	17,1	41
036.123-00A	R	330	34	129,5	28	17,1	39
036.126-00A	F	335	34	93	30	17,3	40
036.125-00A	R	335	34	118	30	16	39
036.130-00A	R	335	34	118	26		40
036.130-00A 036.117-00A	F	377	45	128	37	17,5	37
036.117-00A 036.132-00A	F	432	45	119	37	23,1 35	41
036.132-00A 036.121-00A	F	432	45	130	35	37	38
036.121-00A 036.119-00A	F	432	45	135	35	35	37
036.122-00A	R	432	45	135	35	37	38
036.122-00A 036.104-00A	F	432	45	135	35	36	35
030.104-00A	<u> </u>	1 430	1 40	100	1 33	1 30	



Vehicle-related	overview	sorted	according	to	brake	size

Part Number	F/R	A	В	С	D	Weight	Page
to fit Bergische	Achsen						
046.370-00A	F + R	377	45	159,5	37	28	42
046.373-00A	F + R	377	45	159,5	37	28	43
046.374-00A	F + R	377	45	159,5	37	28	43
046.375-00A	F + R	377	45	159,5	37	28	44
046.376-00A	F + R	377	45	164,5	37	27,5	44
046.379-00A	F	377	45	159,5	37	27,5	45
046.377-00A	F	377	45	169,5	37	29,5	45
046.372-00A	F + R	430	45	159,5	37	32,5	42
046.384-00A	F	430	45	159,5	37	34	46
to fit Kässbohre	er						
056.104-00A	F	315	35	154,5	28	17	49
056.100-00A	F	392	48	120	38	28,5	47
056.101-00A	F	396	48	119	38	28	47
056.102-00A	F	406	48	175	38	32	48
056.105-00A	F	430	45	131	37	35	49
056.106-00A	F	430	45	136	37	34	50
056.103-00A	F	432	45	135	37	33,5	48
to fit Sauer Ach		1		1		I	
066.253-00A	F + R	375,5	45	139,5	37	25,6	52
066.250-00A	F + R	377	45	157,5	37	27,3	51
066.252-00A	F + R	430	45	130	37	33	52
066.251-00A	F + R	430	45	160,5	37	36	51
to fit DAF							
106.202-00A	F	312	30	137	27,5	14,6	54
106.201-00A	F	315	26	121,5	23	13,1	53
106.206-00A	F	330	34	123	28	18	56
106.205-00A	R	375	45	146	37	28,5	55
106.204-00A	F	378	45	99	38	23	55
106.203-00A		432	45	45	41	23	54
106.200-00A	F + R	460	48	119	38	37	53
to fit Ford							
116.008-00A	F	276	24,4	43	22,1	6,2	57
116.009-00A	F	278	24	44,4	22	7	58
116.000-00A	F	322	30	126	27,5	14,6	57
110.000-00A	F	322	პ∪	126	27,5	14,0	5/



Vehicle-related overview sorted according to brake size


Part Number	F/R	A	В	С	D	Weight	Page
to fit Scania							
126.100-00A	F + R	430	45	131	37	30	59
126.101-00A	R	430	45	131	37	35	59
to fit Volvo							
146.200-00A	F	322	30	90	28	13,6	60
146.201-00A	F + R	322	30	90	28	13,6	60
146.205-00A	R	322	30	115	28	14,2	62
146.202-00A	R	322	30	138	27	15,7	61
146.203-00A	R	322	30	138	27	15,7	61
146.204-00A	F	438	45	127	37	35	62
to fit SMB	F . D	400	45	101	27		
186.100-00A 186.101-00A	F + R F + R	430 430	45 45	131	37	34,6 37	63
to fit FIAT 236.020-00A	F	256	16	64	14,8	6	64
236.021-00A	F	290	16	61	14,8	7	64
to fit RVI		07/	24	44	20	5.0	
256.011-00A	F F	276	24	44	22	5,2	66
256.012-00A		276	24	44	22	5,2	66
256.040-00A 256.041-00A	R F	290 290	22 15	78	19 26	8	70
	F			42,5		7,5	
256.017-00A 256.018-00A	F	304 322	30 30	135 140	27	15 17	68
	F				26		
256.029-00A 256.013-00A	F	330 350	34	80 73	28 26	14,9	70 67
256.014-00A	F	354	30	82	26	14,2	67
256.016-00A	F	400	42	90	36	23	68
256.028-00A	F	434	45	96,5	35	33	69
256.010-00A	F	438	45	97	35	31,1	65
256.007-00A	F	440	45	100	35	29	65
200.007-00A	1	770		100		2/	



Vehicle-related	overview	sorted	according	to	brake	size

Part Number	F/R	A	В	С	D	Weight	Page
to fit Meritor							
266.000-00A	F + R	378	45	150	42	31,8	72
266.001-00A	F + R	378	45	150	42	32,5	72
266.002-00A	F + R	378	45	150	39	32	73
266.003-00A	F + R	434	45	150	39	38	73
to fit Schmitz C	argo						
296.000-00A	R	430	45	168,5	37	34	74
to fit van Hool							
316.000-00A	F	410	48	120	38	28	75
to fit SAE Giga	nt						
		420	4.5	1.5.5	0.7	27	7/
326.000-00A	F + R	430	45	155	37	37	76
to fit Raba							
376.273-00A	F	324	30	91	26	11,3	77
376.103-00A	F	432	45	135	37	33,5	77
to fit Neoplan							
466.103-00A	F	315	35	148,5	26	19	79
466.101-00A	F	410	48	120	38	28	78
466.100-00A	F	430	45	130,5	37	35	78
466.102-00A	F	430	45	131	37	35	79
to fit Bova							
476.004-00A	F	406	48	175	38	32	81
476.002-00A	F	430	45	130,5	37	35	80
476.001-00A	F	430	45	131	37	35	80
476.003-00A	F	432	45	135	37	33,5	81
to fit ZF							
486.000-00A	F	430	45	131	37	35	82
486.001-00A	F	432	45	135	37	33,5	82







	05	6			0 5	_	
Part number	OE no.	Group	Page	Part number	OE no.	Group	Page
010.169-00A	910105 014006	016	83	026.657-00A	190 4528	026	27
010.170-00A	910105 014019	016	83	026.658-00A	190 8729	026	28
010.170-00A	910105 014017	016	83	026.658-20A	1668 3434	026	86
010.173-00A	910105 014009	016	83	026.659-00A	190 7568	026	28
010.174-00A	910105 016005	016	83	026.660-00A	190 7569	026	29
010.177-00A	910105 016018	016	83	026.661-00A	190 8772	026	29
016.176-00A	942 990 28 04	016	83	026.662-00A	190 8773	026	30
016.187-00A	942 990 01 14	016	85	026.665-00A	190 7764	026	30
016.187-10A		016	85	026.666-00A	190 6461	026	31
016.271-00A	906 421 00 12	016	3	026.667-00A	299 6327	026	31
016.272-00A	669 421 06 12	016	3	026.668-00A	299 1646	026	32
016.273-00A	670 421 03 12	016	4	026.669-00A	4247 0836	026	32
016.280-00A	416 421 04 12	016	4	026.670-00A	299 4066	026	33
016.281-00A	425 421 00 12	016	5	026.671-00A	4247 1150	026	33
016.282-00A	417 421 00 12	016 016	5	026.672-00A	4247 1214	026 026	34 86
016.283-00A 016.284-00A	631 420 03 72 356 421 10 12	016	6 6	026.680-00A 036.103-00A	1668 3034 81.50803.0010	026	35
016.285-00A	601 421 04 12	016	7	036.103-00A 036.104-00A	81.50803.0010	036	35
016.286-00A	440 421 01 12	016	7	036.109-00A	81.50803.0026	036	36
016.287-00A	601 421 05 12	016	8	036.112-00A	81.50803.0022	036	36
016.288-00A	631 420 01 72	016	8	036.117-00A	81.50803.0027	036	37
016.290-00A	901 423 06 12	016	9	036.119-00A	81.50803.0028	036	37
016.291-00A	902 421 06 12	016	9	036.121-00A	81.50803.0040	036	38
016.292-00A	902 423 03 12	016	10	036.122-00A	81.50803.0041	036	38
016.294-00A	669 421 05 12	016	10	036.123-00A	81.50803.0039	036	39
016.295-00A	942 421 21 12	016	11	036.124-00A	06.01902.3413	036	87
016.296-00A	427 421 00 12	016	11	036.125-00A	81.50803.0062	036	39
016.640-00A	004 990 59 04	016	83	036.126-00A	81.50803.0042	036	40
016.641-00A 016.650-00A	910105 020024 668 421 01 12	016 016	84 12	036.127-00A 036.128-00A	06.01494.4611 06.02191.2822	036 036	87 87
016.651-00A	668 423 00 12	016	12	036.129-00A	06.01902.2411	036	87
016.652-00A	668 421 02 12	016	13	036.130-00A	81.50803.0063	036	40
016.653-00A	668 423 01 12	016	13	036.131-00A	81.50803.0061	036	41
016.654-00A	638 421 01 12	016	14	036.132-00A	81.50803.0064	036	41
016.655-00A	638 423 01 12	016	14	046.370-00A	03.088.34.02.0	046	42
016.658-00A	437 421 04 12	016	15	046.372-00A	03.088.35.03.0	046	42
016.660-00A	668 423 04 12	016	15	046.373-00A	03.088.34.04.0	046	43
016.661-00A	668 423 05 12	016	16	046.374-00A	03.088.34.03.0	046	43
016.662-00A	970 421 06 12	016	16	046.375-00A	03.088.34.01.0	046	44
016.663-00A	970 423 04 12	016	17	046.376-00A	03.088.34.07.0	046	44
016.664-00A 016.665-00A	970 423 05 12 975 421 01 12	016 016	17 18	046.377-00A 046.379-00A	03.088.34.08.0 03.088.34.13.0	046 046	45 45
016.666-00A	975 423 03 12	016	18	046.384-00A	03.088.35.05.0	046	46
016.667-00A	904 423 03 12	016	19	056.100-00A	8.284.000.034	056	47
016.668-00A	627 421 00 12	016	19	056.101-00A	179.24.11.113-07	056	47
016.669-00A	675 421 00 12	016	20	056.102-00A	179.24.11.111-31B	056	48
016.670-00A	970 423 02 12	016	20	056.103-00A	8.285.390.000	056	48
016.671-00A	000 420 02 72	016	21	056.104-00A	172.24.11.113-020	056	49
016.672-00A	943 421 03 12	016	21	056.105-00A	8.285.000.589	056	49
016.673-00A	639 423 01 12	016	22	056.106-00A	8.285.543.000	056	50
016.674-00A	639 421 00 12	016	22	066.249-00A	4 343 2801 10	066	88
016.676-00A	906 423 00 12	016	23	066.250-00A	4 079 0004 00	066	51
026.650-00A	190 4531	026	24	066.251-00A	4 079 0003 00	066	51 52
026.651-00A 026.652-00A	190 7725 190 4532	026 026	24 25	066.252-00A 066.253-00A	4 079 0005 00 4 079 0007 01	066 066	52 52
026.652-00A 026.653-00A	190 4693	026	25 25	086.300-30A	4 0/7 000/ 01	086	96
026.654-00A	190 7726	026	26	086.300-50A		086	96
026.655-00A	190 7765	026	26	086.301-50A		086	94
026.656-00A	190 4529	026	27	086.302-00A		086	98



Part Number	OE no.	Group	Page	Part Number	OE no.	Group	Page
086.302-50A 086.303-50A 086.304-00A 086.305-00A 086.306-50A 086.308-50A 086.309-00A 086.310-01A 086.311-30A 086.311-50A 086.315-50A 086.315-50A 086.315-50A 086.317-00A 086.317-00A 086.317-00A 086.317-00A 086.319-00A 086.319-00A 086.321-00A	1 238 372 PAK 5513 PAK 3546 1 726 138 1 400 069 1 400 284 1 400 163 6.172.906 4.395.257 4.455.980 1 787 220 1 852 817 1 415 147 6 774 686 6 779 208 6 775 227 6 796 864 3 112 965 6 779 209 M 069 018 M 2001 3501 9350 0520 9350 0521 5010 216 548 5010 216 437 5000 396 612 5010 216 433 5010 019 249 5000 450 158	086 086 086 086 086 086 086 086 086 086	94 97 97 98 97 95 95 95 95 95 96 98 99 100 93 93 101 94 99 100 53 53 54 55 56 57 57 58 89 59 60 61 61 62 63 64 64 65 66 66 67 67	256.016-00A 256.017-00A 256.018-00A 256.028-00A 256.040-00A 256.041-00A 266.000-00A 266.001-00A 266.002-00A 296.000-00A 296.001-00A 296.002-00A 296.003-00A 316.000-00A 326.001-00A 326.001-00A 326.003-00A 326.005-00A 376.103-00A 376.103-00A 466.100-00A 466.101-00A 466.103-00A 476.001-00A 476.001-00A 476.001-00A 486.000-00A 486.000-00A	5000 790 539 5010 260 101 5010 260 102 5010 422 593 5010 260 609 5010 260 603 212 25 115 212 24 263 212 27 349 683 23 825 017 870 017 873 017 890 017 889 52E908-472 09 267 086 09 317 791 0.8213.3310 0.8016.2100 0.8213.5830 0.8016.1600 234 110 221 412 204 566 0501 316 953 0501 313 313	256 256 256 256 256 256 266 266 266 296 296 296 326 326 326 326 326 326 34 466 466 466 476 476 476 476 486 486	68 68 69 70 70 71 72 73 73 74 90 90 75 76 92 91 91 92 77 77 78 78 79 80 80 81 81 82 82



							_
OE no.	Part Number	Group	Page	OE no.	Part Number	Group	Page
				190 7764	026.665-00A	026	30
Bergische - Achsen				190 7765	026.655-00A	026	26
00 000 04 01 0	0.44.075.004	0.47		190 8729	026.658-00A	026	28
03.088.34.01.0	046.375-00A	046	44	190 8772	026.661-00A	026 026	29 30
03.088.34.02.0 03.088.34.03.0	046.370-00A 046.374-00A	046 046	42 43	190 8773 299 1646	026.662-00A 026.668-00A	026	32
03.088.34.04.0	046.373-00A	046	43	299 2477	026.667-00A	026	31
03.088.34.07.0	046.376-00A	046	44	299 4066	026.670-00A	026	33
03.088.34.08.0	046.377-00A	046	45	299 6327	026.667-00A	026	31
03.088.34.10.0	046.379-00A	046	45	1668 3034	026.680-00A	026	86
03.088.34.13.0	046.379-00A	046	45	1668 3434	026.658-20A	026	86
03.088.35.03.0	046.372-00A	046	42	4247 0836	026.669-00A	026	32
03.088.35.05.0	046.384-00A	046	46	4247 1150 4247 1214	026.671-00A 026.672-00A	026 026	33 34
BOVA				 Kässbohrer			
204 566	476.003-00A	476	81				
221 412	476.002-00A	476	80	8.284.000.034	056.100-00A	056	47
234 110	476.001-00A	476	80	8.285.000.589	056.105-00A	056	49
				8.285.390.000	056.103-00A	056	48
DAF				8.285.543.000	056.106-00A	056	50
1 000 070	104 200 004	106	E 2	172.24.11.113-020		056 056	49
1 238 372 1 400 069	106.200-00A 106.204-00A	106	53 55	179.24.11.111-31B 179.24.11.113-07	056.102-00A 056.101-00A	056 056	48 47
1 400 163	106.206-00A	106	56	1/7.24.11.113-0/		030	47
1 400 284	106.205-00A	106	55	MAN			
1 726 138	106.203-00A	106	54				
AMP B889	106.201-00A	106	53	06.01494.4611	036.127-00A	036	87
PAK 3545	106.201-00A	106	53	06.01902.2411	036.129-00A	036	87
PAK 3546	106.202-00A	106	54	06.01902.3413	036.124-00A	036	87
PAK 5513	106.201-00A	106	53	06.02191.2822	036.128-00A	036	87
PAK 7404	106.201-00A	106	53	81.50803.0009	036.104-00A	036	35
				81.50803.0010	036.103-00A	036	35
FIAT				81.50803.0014	036.104-00A	036	35
				81.50803.0022	036.112-00A	036	36
753 8682	236.021-00A	236	64	81.50803.0022	036.131-00A	036	41
756 8440	236.020-00A	236	64	81.50803.0026	036.109-00A	036	36
9350 0520	236.020-00A	236	64	81.50803.0027	036.117-00A	036	37
9350 0521	236.021-00A	236	64	81.50803.0028 81.50803.0039	036.119-00A	036 036	37 39
Ford				81.50803.0040	036.123-00A 036.121-00A	036	38
				81.50803.0041	036.121-00A	036	38
4.041.427	116.008-00A	116	57	81.50803.0042	036.126-00A	036	40
4.395.257	116.008-00A	116	57	81.50803.0054	036.130-00A	036	40
4.455.980	116.009-00A	116	58	81.50803.0061	036.131-00A	036	41
6.172.906	116.000-00A	116	57	81.50803.0062	036.125-00A	036	39
				81.50803.0063	036.130-00A	036	40
IVECO				81.50803.0064	036.132-00A	036	41
190 4528	026.657-00A	026	27	Mercedes - Benz			
190 4529	026.656-00A	026	27				
190 4531	026.650-00A	026	24	000 420 02 72	016.671-00A	016	21
190 4532	026.652-00A	026	25	601 420 01 72	016.287-00A	016	8
190 4693	026.653-00A	026	25	601 420 02 72	016.285-00A	016	7
190 6461 190 7568	026.666-00A	026	31	601 420 03 72	016.287-00A	016 016	8
190 7569	026.659-00A 026.660-00A	026 026	28 29	631 420 01 72 631 420 03 72	016.288-00A 016.283-00A	016	8 6
190 7509	026.651-00A	026	29 24	356 421 03 12	016.284-00A	016	6
190 7726	026.654-00A	026	26	356 421 10 12	016.284-00A	016	6
.,0,,20	323.301 30/1	020	20		3.3.23.7 30/1	3.0	J




OE no.	Part Number	Group	Page	OE no.	Part Number	Group	Page
416 421 04 12	016.280-00A	016	4	975 423 03 12	016.666-00A	016	18
417 421 00 12	016.282-00A	016	5	004 990 59 04	016.640-00A	016	83
425 421 00 12	016.281-00A	016	5	942 990 28 04	016.176-00A	016	83
427 421 00 12	016.296-00A	016	11	942 990 01 14	016.187-00A	016	85
437 421 04 12	016.658-00A	016	15	910105 014006	010.169-00A	016	83
440 421 00 12	016.286-00A	016	7	910105 014009	010.173-00A	016	83
440 421 01 12 601 421 03 12	016.286-00A 016.287-00A	016 016	7 8	910105 014017 910105 014019	010.172-00A 010.170-00A	016 016	83 83
601 421 03 12	016.285-00A	016	7	910105 014019	010.170-00A 010.174-00A	016	63 83
601 421 05 12	016.287-00A	016	8	910105 016003	010.174-00A	016	83
601 421 50 12	016.285-00A	016	7	910105 020024	016.641-00A	016	84
601 421 51 12	016.285-00A	016	7				
627 421 00 12	016.668-00A	016	19	Meritor / ROR			
638 421 01 12	016.654-00A	016	14				
639 421 00 12	016.674-00A	016	22	212 24 263	266.001-00A	266	72
668 421 01 12	016.650-00A	016	12	212 25 115	266.000-00A	266	72
668 421 02 12 669 421 01 12	016.652-00A 016.272-00A	016 016	13 3	212 27 349 683 23 825	266.002-00A 266.003-00A	266 266	73 73
669 421 05 12	016.272-00A 016.294-00A	016	10	•	200.003-00A		
669 421 06 12	016.272-00A	016	3	Neoplan			
669 421 07 12	016.294-00A	016	10	·			
670 421 00 12	016.273-00A	016	4	0.8016.1600	466.103-00A	466	79
670 421 01 12	016.273-00A	016	4	0.8016.2100	466.101-00A	466	78
670 421 03 12	016.273-00A	016	4	0.8213.3310	466.100-00A	466	78 79
675 421 00 12 902 421 03 12	016.669-00A 016.291-00A	016 016	20 9	0.8213.5830	466.102-00A	466	19
902 421 04 12	016.291-00A	016	9	RVI			
902 421 06 12	016.291-00A	016	9				
902 421 07 12	016.291-00A	016	9	5000 396 612	256.011-00A	256	66
906 421 00 12	016.271-00A	016	3	5000 450 158	256.014-00A	256	67
942 421 09 12	016.295-00A	016	11	5000 790 539	256.016-00A	256	68
942 421 10 12	016.295-00A	016	11	5010 019 249	256.013-00A 256.012-00A	256	67
942 421 11 12 942 421 12 12	016.295-00A 016.295-00A	016 016	11 11	5010 216 433 5010 216 437	256.012-00A 256.010-00A	256 256	66 65
942 421 21 12	016.295-00A	016	11	5010 216 548	256.007-00A	256	65
943 421 03 12	016.672-00A	016	21	5010 260 101	256.017-00A	256	68
970 421 01 12	016.662-00A	016	16	5010 260 102	256.018-00A	256	69
970 421 02 12	016.662-00A	016	16	5010 260 603	256.041-00A	256	71
970 421 06 12	016.662-00A	016	16	5010 260 609	256.040-00A	256	70
975 421 00 12	016.665-00A	016	18	5010 422 593	256.028-00A	256	69
975 421 01 12 975 421 02 12	016.665-00A 016.665-00A	016 016	18 18	5010 525 308	256.029-00A	256	70
638 423 01 12	016.655-00A	016	14	SAE - Gigant			
639 423 01 12	016.673-00A	016	22	ı			
668 423 00 12	016.651-00A	016	12	09 267 086	326.000-00A	326	76
668 423 01 12	016.653-00A	016	13	09 317 791	326.005-00A	326	92
668 423 04 12	016.660-00A	016	15	09 317 794	326.004-00A	326	91
668 423 05 12 901 423 04 12	016.661-00A 016.290-00A	016 016	16 9	Sauer Achsenfabrik			
901 423 04 12	016.290-00A	016	9				
901 423 08 12	016.290-00A	016	9	4 079 0003 00	066.251-00A	066	51
902 423 01 12	016.292-00A	016	10	4 079 0004 00	066.250-00A	066	51
902 423 03 12	016.292-00A	016	10	4 079 0005 00	066.252-00A	066	52
902 423 04 12	016.292-00A	016	10	4 079 0007 01	066.253-00A	066	52
904 423 03 12 906 423 00 12	016.667-00A 016.676-00A	016 016	19 23	4 343 2801 10	066.249-00A	066	88
970 423 00 12	016.670-00A	016	20				
970 423 04 12	016.663-00A	016	17				
970 423 05 12	016.664-00A	016	17				
				1			



OE no.	Part Number	Group	Page				
Scania							
1 386 686 1 402 272 1 415 147 1 736 000 1 787 220 1 852 817	126.100-00A 126.100-00A 126.101-00A 120.170-00A 120.170-00A 126.100-00A	126 126 126 120 120	59 59 59 89 89 59				
SMB - Trailor - Fruehauf							
M 069 018 M 2001 3501	186.100-00A 186.101-00A	186 186	63 63				
Schmitz - Cargo							
017 870 017 873 017 889 017 890	296.000-00A 296.001-00A 296.003-00A 296.002-00A	296 296 296 296	74 90 90 90				
Van Hool							
52E908-472	316.000-00A	316	75				
Volvo							
3 112 965 6 774 686 6 775 227 6 779 208 6 779 209 6 796 864	146.204-00A 146.200-00A 146.202-00A 146.201-00A 146.205-00A 146.203-00A	146 146 146 146 146 146	62 60 61 60 62 61				
ZF - Trading							
0501 313 313 0501 314 498 0501 315 228 0501 316 953	486.001-00A 486.000-00A 486.000-00A 486.000-00A	486 486 486 486	82 82 82 82 82				





ORIGINAL





Hermann Peters GmbH & Co. KG Aufsicht 13 58256 Ennepetal Germany

Tel.: +49 23 33 832-0 Fax: +49 23 33 832-300

info@pe.de www.**pe**.de

No. 890.038-00A May 2010